

<b>Statement of Deficiencies</b>	<b>(X1) Provider/Supplier/CLIA Identification Number</b>  06D0516938	<b>(X3) Date Survey Completed</b>  01/06/2022
<b>Name of Provider or Supplier</b>  Lincoln County Community Hospital	<b>Street Address, City, State</b>  111 6th St, Hugo, CO	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

<b>(X4) ID Prefix Tag</b>	<b>Summary Statement of Deficiencies</b>
<b>D2016</b>	<p><b>SUCCESSFUL PARTICIPATION</b> CFR(s): 493.803(a)(b)(c)</p> <p>(a) Each laboratory performing nonwaived testing must successfully participate in a proficiency testing program approved by CMS, if applicable, as described in subpart I of this part for each specialty, subspecialty, and analyte or test in which the laboratory is certified under CLIA. (b) Except as specified in paragraph (c) of this section, if a laboratory fails to participate successfully in proficiency testing for a given specialty, subspecialty, analyte or test, as defined in this section, or fails to take remedial action when an individual fails gynecologic cytology, CMS imposes sanctions, as specified in subpart R of this part. (c) If a laboratory fails to perform successfully in a CMS-approved proficiency testing program, for the initial unsuccessful performance, CMS may direct the laboratory to undertake training of its personnel or to obtain technical assistance, or both, rather than imposing alternative or principle sanctions except when one or more of the following conditions exists: (1) There is immediate jeopardy to patient health and safety. (2) The laboratory fails to provide CMS or a CMS agent with satisfactory evidence that it has taken steps to correct the problem identified by the unsuccessful proficiency testing performance. (3) The laboratory has a poor compliance history.</p> <p>This CONDITION is not met as evidenced by: Based on review of proficiency testing performance scores and discussion, the laboratory failed to achieve successful performance levels on two of three events for the first and third events of 2021. See D2181.</p>
<b>D2181</b>	<p><b>COMPATIBILITY TESTING</b> CFR(s): 493.863(e)</p> <p>Failure to achieve an overall testing event score of satisfactory for two consecutive testing events or two out of three consecutive testing events is unsuccessful</p>

performance.

This STANDARD is not met as evidenced by:

Based on review of proficiency testing scores and interview, the laboratory failed to achieve a score of 100 percent for Compatibility Testing in two of three events in 2021, resulting in unsuccessful performance. The findings include: Compatibility Testing, 1st event 2021 = 80% Compatibility Testing, 3rd event 2021 = 80%