

Statement of Deficiencies	(X1) Provider/Supplier/CLIA Identification Number 10D0927895	(X3) Date Survey Completed 01/15/2025
Name of Provider or Supplier Skin Cancer Treatment Center	Street Address, City, State 10001 Pines Blvd, Pembroke Pines, FL	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

(X4) ID Prefix Tag	Summary Statement of Deficiencies
D0000	A recertification survey was conducted from January 09, 2025 to January 15, 2025. SKIN CANCER TREATMENT CENTER clinical laboratory was not in compliance with 42 CFR 493, requirements for clinical laboratories.
D3011	<p>FACILITIES CFR(s): 493.1101(d)</p> <p>Safety procedures must be established, accessible, and observed to ensure protection from physical, chemical, biochemical, and electrical hazards, and biohazardous materials.</p> <p>This STANDARD is not met as evidenced by: Based on observation, record review, and staff interview the laboratory failed to store 100% Reagent alcohol, and Eosin-Y Alcoholic 1% according to Mercedes Scientific Safety Data Sheets (SDS), and Acetone according to the Avantik's (SDS) at least since 01/25/2023. The findings included: 1-During a tour of the laboratory on 01/09 /2025 at approximately 10:45 AM., observed 4 full gallons and 1/2 gallon of 100% Reagent Alcohol, 1/4 gallon of Eosin-Y Alcoholic 1%, and one 3/4 gallon of Acetone under a bench cabinet with a sign "FLAMMABLE". 2-Review of Mercedes Scientific SDS for Reagent Alcohol, 100% (Anhydrous) - MER 1200 and Eosin Y Stain Solution, 1% Alcohol - MER 4131 reagents, stated under Precautionary Statements - Storage, "Store locked up" also in section 7. HANDLING AND STORAGE: Storage Conditions - Store in an approved Flammable Liquids storage area. 3-Review of Avantik SDS for Acetone CAS number 67-64-1, stated under Storage, "Store locked up" also in section 7. HANDLING AND STORAGE: Storage Conditions - Store locked up. 4-Phone interview on 01/15/2025 at approximately 1:15PM, the laboratory director confirmed that the reagents were not stored locked up or in an approved flammable liquid storage area.</p>