

Statement of Deficiencies	(X1) Provider/Supplier/CLIA Identification Number 10D2137764	(X3) Date Survey Completed 07/22/2019
Name of Provider or Supplier Riverchase Dermatology	Street Address, City, State 3659 South Miami Ave Suite 6006, Miami, FL	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

(X4) ID Prefix Tag	Summary Statement of Deficiencies
D0000	An announced CLIA initial certification survey was conducted at Riverchase Dermatology on 7/22/2019. The laboratory is not in compliance with 42 CFR Part 493, Requirements for Laboratories.
D5209	<p>PERSONNEL COMPETENCY ASSESSMENT POLICIES CFR(s): 493.1235</p> <p>As specified in the personnel requirements in subpart M, the laboratory must establish and follow written policies and procedures to assess employee and, if applicable, consultant competency.</p> <p>This STANDARD is not met as evidenced by: Based on record review and interview with Office Consultant (OC), the laboratory failed to perform the six months competency assessment during the first year of employment for 2 out of 3 (TP# A, TP # B, TP # C) testing personnel (TP) in 2019. Findings include: Review of employee documentation showed that the laboratory failed to complete the 6th month evaluation for 2 (TP # A and TP # B) out of 3 testing personnel for the year 2019. During an interview on 07/22/2019 at 10:30 AM, with the OC, she confirmed that there was no semiannual competency assessment documented for the period of the above- referenced for TP.</p>