

Statement of Deficiencies	(X1) Provider/Supplier/CLIA Identification Number 13D0521095	(X3) Date Survey Completed 12/02/2019
Name of Provider or Supplier Tri-State Clearwater Medical Clinic	Street Address, City, State 1522 17th St, Lewiston, ID	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

(X4) ID Prefix Tag	Summary Statement of Deficiencies
D2016	SUCCESSFUL PARTICIPATION CFR(s): 493.803(a)(b)(c) (a) Each laboratory performing nonwaived testing must successfully participate in a proficiency testing program approved by CMS, if applicable, as described in subpart I of this part for each specialty, subspecialty, and analyte or test in which the laboratory is certified under CLIA. (b) Except as specified in paragraph (c) of this section, if a laboratory fails to participate successfully in proficiency testing for a given specialty, subspecialty, analyte or test, as defined in this section, or fails to take remedial action when an individual fails gynecologic cytology, CMS imposes sanctions, as specified in subpart R of this part. (c) If a laboratory fails to perform successfully in a CMS-approved proficiency testing program, for the initial unsuccessful performance, CMS may direct the laboratory to undertake training of its personnel or to obtain technical assistance, or both, rather than imposing alternative or principle sanctions except when one or more of the following conditions exists: (1) There is immediate jeopardy to patient health and safety. (2) The laboratory fails to provide CMS or a CMS agent with satisfactory evidence that it has taken steps to correct the problem identified by the unsuccessful proficiency testing performance. (3) The laboratory has a poor compliance history. This CONDITION is not met as evidenced by: Based on a proficiency testing (PT) desk review, the laboratory failed to successfully participate in proficiency testing for the analyte Hematocrit (HCT). Refer to D2130.
D2130	HEMATOLOGY CFR(s): 493.851(f) Failure to achieve satisfactory performance for the same analyte in two consecutive events or two out of three consecutive testing events is unsuccessful performance.

This STANDARD is not met as evidenced by:

Based on a proficiency testing (PT) desk review and the laboratory's graded PT results from the American Association of Bioanalysts (AAB), the laboratory failed to achieve satisfactory performance in two out of three consecutive testing events for Hematocrit (HCT) in 2019. Findings: 1. A review of the AAB PT results from 2019 event 1, revealed the laboratory received a score of 60% for the analyte Hematocrit (HCT). 2. A review of the AAB PT results from 2019 event 3, revealed the laboratory received a score of 60% for the analyte Hematocrit (HCT).