

<b>Statement of Deficiencies</b>	<b>(X1) Provider/Supplier/CLIA Identification Number</b>  23D0380094	<b>(X3) Date Survey Completed</b>  08/24/2022
<b>Name of Provider or Supplier</b>  West Michigan Dermatology	<b>Street Address, City, State</b>  6150 Northland Drive Ne, Rockford, MI	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

<b>(X4) ID Prefix Tag</b>	<b>Summary Statement of Deficiencies</b>
<b>D5801</b>	<p>TEST REPORT CFR(s): 493.1291(a)</p> <p>The laboratory must have an adequate manual or electronic system(s) in place to ensure test results and other patient-specific data are accurately and reliably sent from the point of data entry (whether interfaced or entered manually) to final report destination, in a timely manner. This includes the following: (a)(1) Results reported from calculated data. (a)(2) Results and patient-specific data electronically reported to network or interfaced systems. (a)(3) Manually transcribed or electronically transmitted results and patient-specific information reported directly or upon receipt from outside referral laboratories, satellite or point-of-care testing locations.</p> <p>This STANDARD is not met as evidenced by:  . Based on record review and interview with the laboratory liaison (LL), the laboratory failed to establish a system to ensure the transcribed Mohs' surgery site was accurately transcribed into the patient's visit note for 1 (DE21-407) of 12 Mohs' cases reviewed. Findings include: 1. A record review revealed for 1 of 12 Mohs' cases reviewed, the anatomical site on the patient's visit note in the electronic medical record (EMR) system was not transcribed accurately as follows: DE21-407 i. Pathology report, Mohs' log, and Mohs' map - right superior crus of antihelix ii. visit note in EMR - right superior helix 2. An interview on 8/24/2022 at 11:23 am, the LL confirmed the locations on the patient's visit note in the EMR did not match the Pathology report, the Mohs' log and Mohs' map.</p>