

Statement of Deficiencies	(X1) Provider/Supplier/CLIA Identification Number 28D0453611	(X3) Date Survey Completed 04/09/2025
Name of Provider or Supplier Methodist Physicians Clinic - Valley	Street Address, City, State 625 South Pine Center, Valley, NE	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

(X4) ID Prefix Tag	Summary Statement of Deficiencies
D0000	A validation survey was completed on 4/9/2025. The facility was found to be out of compliance with the conditions of the CLIA program. The following CONDITION LEVEL DEFICIENCY was found to be out of compliance: D6063 - 42 C.F.R. 493.1421 Condition: Laboratories performing moderate complexity testing; testing personnel
D6063	<p>LABORATORY TESTING PERSONNEL CFR(s): 493.1421</p> <p>The laboratory must have a sufficient number of individuals who meet the qualification requirements of 493.1423, to perform the functions specified in 493.1425 for the volume and complexity of tests performed.</p> <p>This CONDITION is not met as evidenced by: Based on lack of documentation the laboratory failed to have proof of education on one out of one moderate complexity testing personnel, as listed on the CMS-209. Refer to D6065.</p>
D6065	<p>TESTING PERSONNEL QUALIFICATIONS CFR(s): 493.1423(b)(1)(2)(3)(4)(i)</p> <p>(b) Meet one of the following requirements: (b)(1) Be a doctor of medicine or doctor of osteopathy licensed to practice medicine or osteopathy in the State in which the laboratory is located; or (b)(2) Have earned a doctoral, master's, or bachelor's degree in a chemical, biological, clinical or medical laboratory science, or medical technology, or nursing from an accredited institution; or (b)(3) Meet the requirements in 493.1405(b)(3)(i)(B), (b)(4)(i)(B), (b)(4)(i)(C) or (b)(5)(i)(B); or (b)(4) Have earned an associate degree in a chemical, biological, clinical or medical laboratory science, or medical laboratory technology or nursing from an accredited institution; or (b)(5) Be a high school graduate or equivalent and have successfully completed an</p>

official military medical laboratory procedures course of at least a duration of 50 weeks and have held the military enlisted occupational specialty of Medical Laboratory Specialist (Laboratory Technician); or (b)(6)(i) Have earned a high school diploma or equivalent; and

This STANDARD is not met as evidenced by:

Based on lack of documentation and interview with the laboratory director, the laboratory failed to have proof of education on one out of one testing personnel listed on the CMS-209. Findings are: 1. No proof of education documentation for testing personnel #1, as listed on the CMS-209, performing moderate complexity testing was presented at time of survey. 2. Interview with the technical consultant on 4/9/2025 at 10:20 AM, confirmed no documentation was available.