

Statement of Deficiencies	(X1) Provider/Supplier/CLIA Identification Number 28D0930322	(X3) Date Survey Completed 03/23/2021
Name of Provider or Supplier Nebraska Hematology Oncology Pc	Street Address, City, State 4004 Pioneer Woods Drive, Lincoln, NE	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

(X4) ID Prefix Tag	Summary Statement of Deficiencies
D6063	<p>LABORATORY TESTING PERSONNEL CFR(s): 493.1421</p> <p>The laboratory must have a sufficient number of individuals who meet the qualification requirements of 493.1423, to perform the functions specified in 493.1425 for the volume and complexity of tests performed.</p> <p>This CONDITION is not met as evidenced by: Based on lack of documentation the laboratory failed to have proof of education on testing personnel #6, as listed on the CMS-209, performing moderate complex testing. Refer to D6065.</p>
D6065	<p>TESTING PERSONNEL QUALIFICATIONS CFR(s): 493.1423(b)(1)(2)(3)(4)(i)</p> <p>(b) Meet one of the following requirements: (b)(1) Be a doctor of medicine or doctor of osteopathy licensed to practice medicine or osteopathy in the State in which the laboratory is located or have earned a doctoral, master's, or bachelor's degree in a chemical, physical, biological or clinical laboratory science, or medical technology from an accredited institution; or (b)(2) Have earned an associate degree in a chemical, physical or biological science or medical laboratory technology from an accredited institution; or (b)(3) Be a high school graduate or equivalent and have successfully completed an official military medical laboratory procedures course of at least 50 weeks duration and have held the military enlisted occupational specialty of Medical Laboratory Specialist (Laboratory Technician); or (b)(4)(i) Have earned a high school diploma or equivalent; and</p> <p>This STANDARD is not met as evidenced by: Based on lack of documentation and interview with testing personnel #1, as listed on</p>

the CMS-209, the laboratory failed to have proof of education on one out of six testing personnel performing moderate complexity testing. Findings are: 1. No proof of education documentation for testing personnel #6, as listed on the CMS-209, was presented at time of survey. 2. Interview with testing personnel #1, on 3/23/2021 at 10:56AM, confirmed no documentation was available.