

Statement of Deficiencies	(X1) Provider/Supplier/CLIA Identification Number 31D2206463	(X3) Date Survey Completed 10/29/2024
Name of Provider or Supplier Precious Health Of Lakewood	Street Address, City, State 886 River Avenue, Lakewood, NJ	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

(X4) ID Prefix Tag	Summary Statement of Deficiencies
D2015	<p>TESTING OF PROFICIENCY TESTING SAMPLES CFR(s): 493.801(b)(5)(6)</p> <p>(5) The laboratory must document the handling, preparation, processing, examination, and each step in the testing and reporting of results for all proficiency testing samples. The laboratory must maintain a copy of all records, including a copy of the proficiency testing program report forms used by the laboratory to record proficiency testing results including the attestation statement provided by the PT program, signed by the analyst and the laboratory director, documenting that proficiency testing samples were tested in the same manner as patient specimens, for a minimum of two years from the date of the proficiency testing event. (6) PT is required for only the test system, assay, or examination used as the primary method for patient testing during the PT event.</p> <p>This STANDARD is not met as evidenced by: Based on surveyor review of the Proficiency Testing (PT) records and interview with the Technical Consultant (TC) the laboratory lacked the work records for the 3rd Microbiology PT event of 2024 by the American Proficiency Institute (API). The finding includes: 1. Review of PT records revealed a lack of work records for the 3rd Microbiology PT event of 2024 for throat cultures. 2. The TC confirmed on 10/29/24 at 11:35 am that work records were not available for the 3rd Microbiology PT event of 2024.</p>