

<b>Statement of Deficiencies</b>	<b>(X1) Provider/Supplier/CLIA Identification Number</b>  39D2228019	<b>(X3) Date Survey Completed</b>  09/13/2023
<b>Name of Provider or Supplier</b>  Biolife Plasma Services, Lp	<b>Street Address, City, State</b>  1763a S Braddock Ave, Pittsburgh, PA	
For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.		

<b>(X4) ID Prefix Tag</b>	<b>Summary Statement of Deficiencies</b>
<b>D3009</b>	<p>FACILITIES CFR(s): 493.1101(c)</p> <p>The laboratory must be in compliance with applicable Federal, State, and local laboratory requirements.</p> <p>This STANDARD is not met as evidenced by: Based on surveyor record review and interviews with the center manager (CM) and quality management representative (QMR), the laboratory failed to ensure that the State of Pennsylvania (PA) regulations were met regarding having a supervisor on site during all normal scheduled working hours in which total protein testing was performed from 10/20/2021 to the date of the survey. Findings include: 1. The PA regulations (5.23 (b)(1)) states: "A general supervisor who meets all the requirements of subsection (a)(1), (2) or (3) and is on the laboratory premises during all normal scheduled working hours in which tests are being performed." 2. The laboratory performs patient testing Tuesday through Thursday from 09:00 am to 07:00 pm, Friday from 09:00 am to 06:00 pm, Saturday from 09:00 am to 05:00 pm and Sunday from 08:00 am to 03:00 pm according to the information in the CMS-116 form. 3. Review of the laboratory personnel report (Pennsylvania State) form on 09/13/2023 showed that the laboratory director (LD) acts as the only general supervisor for the laboratory. The LD directs one other laboratory. 4. On the day of the survey, 09/13 /2023 at 09:24 am, during an interview, the CM and QMR stated that the laboratory did not have a qualified supervisor onsite for every hour of patient testing according to chapter 5 section 5.23 of the Pennsylvania State regulations for clinical laboratories.</p>